

To: Messerle, Mäder

## PRODUCT SAFETY STATEMENT

### Material description

**Production Site**      Metsä Greaseproof Papers GmbH  
Veldener Str. 121-131  
D-52349-Düren  
GERMANY

The content of this statement is valid for the Metsä Greaseproof Papers trade name(s) mentioned above.

Metsä Greaseproof Papers of Metsä Tissue is a manufacturer of baking, cooking and packing papers. SAGA, our baking and cooking brand, comprises a wide offering of baking and cooking papers for both professional and household use. All our baking, cooking and packing papers are made from fresh fibres, which can be traced back to their source in sustainably managed northern forests. Our two production units manufacture baking, cooking and packing papers in compliance with good manufacturing practice and quality management system certified according to ISO 9001, ISO 14001 and ISO 22000 or BRC.

## BAKE FAMILY -GRADES

Onesidebake is one-side siliconized, all other paper grades are siliconized both sides.

<b>ProcessBake</b>	Limited release for machine use at industrial food processors, e.g. for pizza doughs, cheese, meat, patties.
<b>OneBake</b>	Good release for household baking.
<b>MultiBake</b>	Excellent release for most of baking goods for professional use.
<b>OnesideBake</b>	Good release towards most types of baking goods. Designed for laminating and converting into grilling bags.
<b>PremiumBake</b>	Premium release for all baking goods including salt pretzels, crisp bread and extremely sticky products. Suitable for use in contact grills.
<b>PremiumBake ed</b>	Extra dense cooking grade for many food preparation processes in households, restaurants, industrial kitchens; for steam cooking, frying, freezing. Suitable for use in contact grills.
<b>PremiumBake ws</b>	Wet strong cooking grade for many food preparation processes in households, restaurants, industrial kitchens; for steam cooking, frying, freezing. Suitable for use in contact grills. Supporting the professional cook & chill process.

### Metsä Tissue Corporation

P.O.Box 25, FI-02020 Metsä, Finland


Revontulenpuisto 2, 02100 Espoo, Finland

Tel. +358 10 4611

Business ID FI18678311

[www.metsagroup.com/metsatissue/](http://www.metsagroup.com/metsatissue/)

To: Messerle, Mäder

**Product composition:**


## MANAGEMENT SYSTEMS AND CERTIFICATES

Description		Düren mill	Mänttä mill
<b>Production sites fulfil criteria of:</b>			
ISO 9001	Quality	X	X
ISO 14001	Environment	X	X
ISO 50001	Energy	X	X
ISO 45001	Occupational safety	X	X
BRC-CP	Food safety and hygiene	X	X
IFS-HPC	Food safety and hygiene	X	-
ISO 22000	Food safety and hygiene	-	X
PEFC/FSC (COC standards).	Forest management	PEFC/04-31-3228 FSC® C154637	PEFC/02-31-77 FSC®-C004147
SEDEX	Ethical supplier	ZS1067248	ZS1000075193
<b>Products fulfil criteria of:</b>			

To: Messerle, Mäder

Kosher (with passover)		X	X
Halal		X	X
Nordic Swan	Ecolabel	4049 0001	4049 0015
OK Compost Home	Compostability	S1217	S1217
OK Compost Industrial	Compostability	S1217	S1217
DIN Geprüft Industrial	Compostability	9L0123	9L0123
DIN Geprüft Home	Compostability	9S0052	9S0052
Seedling	Compostability	7H0281	7H0281

## FOOD CONTACT

### Declaration of Compliance

We hereby state that this product is in compliance with the following global food contact laws and recommendations. In the testing program covering the mentioned trade name(s), the products have been tested by an independent laboratory for suitability for food contact and compliance with the regulations and recommendations listed below. Additionally, the compliance evaluations are based on the declarations of compliance provided by our raw material suppliers, and complementary information obtained on a confidential basis.

The trade name(s) mentioned above are suitable for food contact as described below.

#### EU and EEA:

**Regulation (EC) No. 1935/2004 on materials and articles intended to come into contact with food** Complies when applicable and under foreseeable conditions of use

**Regulation (EC) No. 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food** Complies when applicable and under foreseeable conditions of use

#### Germany:

**Foodstuffs, Consumer Goods and Animal Feed Code (Foodstuffs, and Animal Feed Code – LFGB), §§ 30 and 31** Complies when applicable and under foreseeable conditions of use.

**BfR (Bundesinstitut für Risikobewertung) XXXVI. Paper and board for food contact** For use in direct contact with all food types (dry, moist, fatty and non-fatty).

To: Messerle, Mäder

<b>BfR XXXVI/2. Paper and Board for Baking Purposes</b>	For use at temperatures up to 220°C. May stand in direct contact with all food types (dry, moist, fatty and non-fatty).
<b>Italy:</b>	
<b>D.M. 21 March 1973 and amendments; - D.P.R. 777/82 and amendments; - D.Lgs. n°29/2017</b>	All food types
<b>France:</b>	
<b>Fiche MCDA n°4 (V02 01/01/2019). Aptitude au contact alimentaire des matériaux organiques à base de fibres végétales destinés à entrer en contact avec des denrées alimentaires</b>	All food types
<b>Switzerland:</b>	
<b>SR 817.0 Bundesgesetz über Lebensmittel und Gebrauchsgegenstände, Artikel 15</b>	Complies when applicable and under foreseeable conditions of use
<b>SR 817.02 Lebensmittel- und Gebrauchsgegenständeverordnung, Artikel 49</b>	
<b>SR 817.023.21 Verordnung des EDI über Materialien und Gegenstände, die dazu bestimmt sind, mit Lebensmitteln in Berührung zu kommen (Bedarfsgegenständeverordnung)</b>	
<b>USA:</b>	
<b>The Federal Food, Drug, and Cosmetic Act and all applicable food additive regulations, including: 21 C.F.R. §§ 176.170 ("Components of paper and paperboard in contact with aqueous and fatty foods") and 176.180 ("Components of paper and paperboard in contact with dry food")</b>	All food types, excluding infant formula and breast milk, under FDA's Conditions of Use A ("High temperature heat-sterilized (e.g., over 212 °F)") through H ("Frozen or refrigerated: Ready-prepared foods intended to be reheated in container at time of use"), as well as J ("Cooking at temperatures exceeding 250°F").
<b>China:</b>	
<b>GB 9685-2016 Hygienic Standards for Uses of Additives in Food Containers and Packaging Materials</b>	All additives used in the manufacture of the product are listed in GB9685-2016 or subsequent MOH Announcements for the appropriate use
<b>GB 4806.8-2022 Food-Contact Use Paper and Paperboard Materials and Articles</b>	Complies when applicable and under foreseeable conditions of use
<b>GB 4806.1-2016 General Safety Requirements for Food-Contact Materials and Articles</b>	Complies when applicable and under foreseeable conditions of use
<b>Mercosur:</b>	
<b>GMC No. 40/15 Technical Regulation on cellulosic materials, packaging and equipment intended to come into contact with food</b>	Complies when applicable and under foreseeable conditions of use.

To: Messerle, Mäder

<b>GMC No. 42/15 Technical Regulation on cellulosic materials, packaging and equipment intended to come into contact with food during cooking or heating in oven</b>	Complies when applicable and under foreseeable conditions of use.
--	--

**Dual use substances:**

Substance	E code	CAS no.	Concentration in product
Sorbic acid	E200	110-44-1	<0,01%
Sorbitan monostearate	E491	1338-41-6	0,00%
Polyethylene glycol sorbitan monostearate	E433	9005-65-6	0,00%
Xanthan gum	E415	11138-66-2	0,00%
Colloidal silica	E551	7631-86-9	<0,05%
Ammonium sulfate	E517	7783-20-2	<0,04%
Adipic acid	E355	124-04-9	0,00%

## INDUSTRY GUIDELINES AND POLICIES

Metsä Greaseproof Papers complies with the Food Contact Guidelines for the Compliance of Paper and Board Materials and Articles, March 2019. The Guidelines is supported by the European paper and board supply chain: CEPI (paper and board manufacturers); CITPA (paper and board converters); ECMA (carton makers association); ACE (beverage carton alliance); CCB (CEPI Containerboard); FEFCO (corrugated packaging) and ETS (tissue paper association).

Metsä greaseproof paper mills also comply with CEPI Good Manufacturing Practice Guideline for the manufacture of paper and board for food contact. 2. Ed. May 2023.

## TYPICAL APPLICATIONS

Baking and Cooking paper is intended to be used for applications in conventional ovens, microwave ovens and frying pans (one time use). Additionally the paper is suitable for food preservation in room temperature, and in refrigerators and freezers.

**Temperature guide:**

Appliance	Temperature range	Experienced usage time
Freezer	-30...0 °C (-22 ...32°F)	12 months
Refridgerator	+4 ...+7 °C (39...44°F)	2 months
Room	+15 ...+30 °C (59...86°F)	According to food type; Dry foods up to 12 months
Conventional oven		If at least 80 % of paper is covered by food, then:
	+220 °C (428 °F)	>30 min
	+200 °C (392 °F)	>60 min
	+180 °C (356 °F)	>120 min
	+150 °C (302 °F)	>4 hours
	+60...+100 °C (140...212 °F)	>12 hours
	< +60 °C (< 140 °F)	>24 hours
Air fryer	max +220 °C (428 °F)	max 60 min
Microwave oven	max +150 °C (302 °F)	30 min

**Metsä Tissue Corporation**

P.O.Box 25, FI-02020 Metsä, Finland

Revontulenpuisto 2, 02100 Espoo, Finland

Tel. +358 10 4611

Business ID FI18678311

[www.metsagroup.com/metsatissue/](http://www.metsagroup.com/metsatissue/)

To: Messerle, Mäder

Frying pan	up to +300 °C* (572 °F)	10 min provided that at least 80 % of paper is covered by food.
Contact grill		
Merrychef®		
Turbochef®		

\*see also Chapter 'Heat resistance and ignition -risk assessment'

## STORAGE RECOMMENDATIONS

All our papers should be generally stored in their original packaging under following conditions:

- Protected against wind, rain, frost and direct sunlight
- Dry and free from any humidity
- Storage temperature between min 0°C and max 40°C (min 32 F and max 104 F)
- Protected against any kind of pollution or damages
- Storage time: 3 years

For base paper reels use a maximum clamp pressure of 130 bar in order to avoid any damages or deviations.

## REUSABILITY

Baking and cooking papers are basically designed for a one-time use, so it is within our responsibility to ensure this. Nevertheless it can be generally used several times depending on a variety of parameters, like e.g. baking temperature, baking time, humidity of baking food, coverage area.

As a producer, we are not able to influence the further handling of the paper. Fat, food remains and other soiling have a considerable influence on the re-usability (on the heat resistance as well as the release functionality). As we have no knowledge of these factors and cannot influence them, the re-usability of the papers is under the customers' responsibility.

Particularly with regard to hygienic aspects we generally advise not to re-use the paper. HACCP-certified enterprises, which are producing according to a defined hygienic standard, are principally just using baking paper once. Herewith they avoid for example cross-contamination and offer a maximum of product safety.

## HEAT RESISTANCE AND IGNITION - RISK ASSESSMENT

For best product safety, the European laws are following the German recommendation BFR XXXVI/2. It prescribes a temperature of 220°C (428°F). To comply with valid food regulations maximum temperature of 220°C is printed on cases in most countries, where it is not legal to market baking papers with higher temperatures.

It is possible for manufacturers to demonstrate suitability for use in food contact at temperatures up to 250 °C (482°F) in Nordic countries, Denmark, Finland, Norway and Sweden, by conducting a risk assessment.

For the risk assessment, we identified two types of risks:

A) a risk of fire or physical degradation and

B) a risk of being non-inert in contact with food simulants. The assessment is carried out by conducting relevant tests with representative samples.

To: Messerle, Mäder

Testing of physical heat resistance and ignition of SAGA baking paper

Heat resistance of paper was measured with and without baking goods. As a result we got the confirmation that our baking and cooking papers can stand baking processes up to 300°C (572°F) for 10 minutes under following condition: baking paper must be covered at least with 80% baking goods. Uncovered (plain) paper on tin tends to get brown under high temperatures. It is getting brittle as well but it does not start burning.

Metsä Greaseproof Papers has also initiated two studies at VTT, Finland (2006 and 2015) about ignition of baking papers. According to this study the paper starts getting brown and brittle very rapidly at a temperature around 250-280°C (482-536°F). However, the actual ignition point, at which the paper catches fire is above 440°C (824°F). The difference between the recommended maximum temperature of 220°C (428°F) and the actual ignition point of >440°C (824°F) is therefore ≈220 °C (396°F), which to our understanding allows a sufficient safety margin, and it is therefore safe to use baking paper in the temperatures up to 250°C (482°F).

Burning paper in household or professional ovens is based on faulty application from user's side (dirty oven, contact with heating elements). Therefore any contact of the paper with the heating elements and side walls shall be avoided. And care about a clean device (free from greasy residues).

Migration testing of SAGA baking paper at high temperatures

In order to assess the risk of migration of harmful substances from paper to food, several migration studies have been made from our product in an independent laboratory, including:

Type	Food simulant	Temperature	Time	Area/Food-simulant	Result
Overall	10 % ethanol	at reflux	4 h	1 cm <sup>2</sup> /ml	< 7 mg/dm <sup>2</sup> ; < 0.5 mg/in <sup>2</sup>
Overall	3% acetic acid	100 °C 212 °F	4 h	1 cm <sup>2</sup> /ml	< 7 mg/dm <sup>2</sup> ; < 0.5 mg/in <sup>2</sup>
Overall	olive oil	225 °C 437 °F	2h	1 cm <sup>2</sup> /ml	< 7 mg/dm <sup>2</sup> ; < 0.5 mg/in <sup>2</sup>
Overall	MPPO (tenax)	250 °C 482 °F	30 min	25 cm <sup>2</sup> /g	< 7 mg/dm <sup>2</sup> ; < 0.5 mg/in <sup>2</sup>
Specific (BPA)	10 % ethanol	at reflux	8 h	1 cm <sup>2</sup> /ml	not detectable
	3% acetic acid	100 °C/212°F 175 °C/347°F	8 h 2 h	1 cm <sup>2</sup> /ml 1 cm <sup>2</sup> /ml	not detectable not detectable
Specific (PAA)	3% acetic acid	100 °C/212°F	8 h	1 cm <sup>2</sup> /ml	not detectable
Specific (Hg, Pb)	3% acetic acid	100 °C/212°F	8 h	1 cm <sup>2</sup> /ml	Lead: < 0,01 mg/kg Mercury: not detectable

No migration above the safety limits were observed. Fluorinated substances, such as perfluorinated alkyl substances (PFAS), optical brighteners and recycled paper are not used as raw materials. Therefore we can conclude that it is safe to use the baking paper in temperatures up to 250°C (482°F).

## BARRIER PROPERTIES

The products are highly refined papers with good/ excellent/ premium greaseproofness (depending on grade) according to DIN 53116.

Our papers have in general a low air permeability.

### Metsä Tissue Corporation

P.O.Box 25, FI-02020 Metsä, Finland

Revontulenpuisto 2, 02100 Espoo, Finland

Tel. +358 10 4611

Business ID FI18678311

[www.metsagroup.com/metsatissue/](http://www.metsagroup.com/metsatissue/)

To: Messerle, Mäder

## MINERAL OIL

This product is manufactured from fresh fibres and does not contain any printed recycled material. Mineral oils are not used as raw materials in the manufacturing of this product. All used production chemicals and additives are approved for food contact.

## NANOMATERIALS

We hereby warrant that this product is not defined as a nanomaterial according to the Commission Recommendation on the definition of nanomaterial 2011/696/EU as amended. However, some of the additives that have commonly been used in pulp and paper production processes for centuries contain nanoscale particles. These particles are not classified as dangerous and do not pose a risk to human health.

## ENDOCRINE DISRUPTING CHEMICALS (EDC)

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 or I and II of Article L. 5232-5 of the French Public Health Code (as established in order of September 28, 2023) above the limit of 0.1%.

## NON-USE WARRANTY

We hereby warrant that based on testing and/or information received from raw material suppliers this product is free from substances listed below or, where these substances exist as traces in the raw materials or are generated during the manufacturing process, their content is below the limits specified in applicable legislation and amendments thereof, or agreement, and never exceeding the threshold limit of 0,1% by weight of the product.

<b>Recycled material</b>	The product(s) is manufactured from virgin materials and does not contain any recycled materials.
<b>Chlorine</b>	Bleached pulp used in production of the product come from ECF (elementary chlorine free) process.
<b>Fluorine</b>	Fluorinated chemicals, per- and polyfluoroalkyl substances (PFAS), including perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid and its derivatives (PFOS), are not used in the manufacturing of the product. <ul style="list-style-type: none"><li>According to third-party accredited laboratory testing, PFAS compounds were not detected in the products (detection limit 1.0 µg/kg). Thus, the product complies with the Regulation (EU) 2024/2462 on PFHxA and Regulation (EU) 2025/40 on Packaging and Packaging Waste.</li></ul>
<b>Heavy metals</b>	No heavy metals are intentionally added during the manufacturing process.

To: Messerle, Mäder

	<p>Any traces of lead, mercury, cadmium and chromium (VI) present in the product do not exceed 100 ppm in total by weight as regulated in</p> <ul style="list-style-type: none"> <li>• Regulation (EU) 2025/40 on Packaging and Packaging Waste</li> <li>• TPCH (CONEG): The Model Toxics in Packaging Legislation</li> </ul>
<b>Genetically modified organisms (GMO)</b>	No GMO based raw materials are used in the production process. GMO as defined by EU Directive 2001/18/EC means an organism, with the exception of human beings, in which the genetic material has been altered in a way that does not occur naturally by mating and/or natural recombination
<b>Animal origin</b>	No raw materials of animal origin are used in the manufacturing of the product.
<b>Conflict minerals</b>	<p>Chemicals containing gold (Au), tantalum (Ta), tin (Sn) and wolfram (W) also known as tungsten, are not used in the manufacture of the product.</p> <p>We also hereby declare that raw materials originating from the Democratic Republic of Congo are not used as raw materials and the product fulfils the requirements of the Dodd-Frank Wall Street Reform and Consumer Protection Act.</p>
<b>Epoxy derivatives</b>	2,2-bis(4-hydroxyphenyl) propane bis(2,3-epoxypropyl) ether ('BADGE' i.e. Bisphenol-A DiGlycidyl Ether), bis(hydroxyphenyl) methane bis(2,3-epoxypropyl) ethers ('BFDGE' i.e. Bisphenol-F DiGlycidyl Ether) and novolac glycidyl ethers (NOGE) as listed in Regulation (EC) No. 1895/2005.
<b>California Proposition 65</b>	Substances listed in California Proposition 65 The Safe Drinking Water and Toxic Enforcement Act of 1986 are not used as raw materials. In case listed substances are present as traces, the exposure is estimated to be below relevant safe harbor levels. If no safe harbor level is given, an internal risk assessment has been performed to show that the anticipated exposure level will not pose a significant risk of cancer or reproductive harm.
<b>POP Regulation and brominated flame retardants</b>	Substances listed in the Regulation (EC) No 2019/1021 on persistent organic pollutants "POPs" Annex I, including for example polybrominated biphenyls (PBBs) and polybrominated diphenyl ethers (PBDEs).
<b>We do not use</b>	<p>Anthraquinone          Azocolourants and azodyes as defined in Annex XVII of REACH          Benzophenone and hydroxybenzophenone          Bisphenols (the product complies with Reg. (EU) 2024/3190)          Formaldehyde          Gluten          Isopropylthioxanthone (ITX)          Melamine          4-methyl-benzophenone (4-mbp)          Mono and diglycerides of fatty acids          Natural rubber latex materials          Optical brighteners          Phthalates          Polycarbonate          Polychlorinated biphenyls (PCBs)          Styrene</p>
<b>Allergens</b>	We hereby warrant that substances or products causing allergies or intolerances listed in Regulation (EU) No 1169/2011 Annex II and in the Food Allergen

To: Messerle, Mäder

Labelling and Consumer Protection Act of 2004 (FALCPA, U.S.A.) are not used as raw materials in the manufacturing process of the product(s). This includes for example cereals, crustaceans, eggs, fish, peanuts, soybeans, milk, nuts, celery, mustard, sesame seeds, lupin and molluscs. The presence of sulphur dioxide and sulphites cannot be excluded, however, their migration to food is expected to be much less than the EU limit of 10 mg/kg food.

## CIRCULAR ECONOMY

Metsä greaseproof papers are technically 100 % recyclable. All grades without wet strength achieved at least Level B recyclability (Aticelca evaluation method 501:2019) in the testing according to the standard UNI 11743:2019. Also, the broke of all grades without wet strength agent are re-used in our own paper-making process.

Product(s) are certified for use of the 'OK Compost Industrial' and 'OK Compost Home' conformity marks. This means that the products fulfill the requirements of EN 13432, and includes biodegradability (tested according to ISO 14855-1). Heavy metals and the fluorine content lay well below the maximum levels as prescribed by the standards EN 13432 (2000), NF T51-800 (2015), ASTM D6868 (2017) and CAN/BNQ 0017-088 (2010). Composting of the product result in compost that is safe for growing plants. Ecotoxicity was not found when investigated according to EN 13432.

The toxicity to earth worms was tested by independent laboratory according to the ASTM E 1676 method of the compost generated in the disintegration test. The results showed that when the product broke down in the compost, there were no residues or degradation products that would adversely affect the viability and average weight of earth worms.

Metsä greaseproof papers can be recycled as paper according to the standards: material recycling EN 13430 and energy recovery EN 13431 (see more information below). Papers soiled with food can be disposed together with food waste in dedicated containers, which will be forwarded to composting or biogas plants, if paper is approved biowaste type in the area. End-users must always follow the local rules for biowaste handling. All our papers could be sent for energy recovery as well.

## PACKAGING AND PACKAGING WASTE

### EU DIRECTIVE 94/62/EC

We hereby warrant the product(s) is/are in compliance with the requirements of Directive 94/62/EC and its amendment 2004/12/EC. When used as packaging material this conformity is specified as following:

#### **EN 13427 Requirements for the use of European standards in the field of packaging and packaging waste**

The procedures and record keeping enabling this declaration are part of Metsä Greaseproof Papers' ISO 9001 and ISO 14001 management systems.

#### **ISO 18601 General requirements for the use of ISO standards in the field of packaging and the environment**

#### **CR 13695-1 Requirements for measuring and verifying the four heavy metals and other dangerous substances present in packaging and their release into the environment – Part**

Concentrations of four named heavy metals are clearly below the regulated limits.

### **Metsä Tissue Corporation**

P.O.Box 25, FI-02020 Metsä, Finland

Revontulenpuisto 2, 02100 Espoo, Finland

Tel. +358 10 4611

Business ID FI18678311

[www.metsagroup.com/metsatissue/](http://www.metsagroup.com/metsatissue/)

To: Messerle, Mäder

**1: Requirements for measuring and verifying the four heavy metals present in packaging****CONEG Certification / The Model Toxics in Packaging Legislation (USA)**

**CEN/TR 13695-2 Requirements for measuring and verifying the four heavy metals and other dangerous substances present in packaging and their release into the environment. Part 2: Requirements for measuring and verifying dangerous substances present in packaging, and their release into the environment.**

Concentration of substances classified as hazardous is much less than 1 % of the product weight. Substances and mixtures classified as very\* hazardous have not been used as raw materials in this product.

*\*Very hazardous means the following classes of the Global Harmonized System (GHS): Carcinogenicity (Cat. 1A, 1B and 2), Acute toxicity (Cat 1 or 2), Mutagenicity (Cat 1A, 1B and 2), Reproductive toxicity (Cat 1A, 1B and 2), Hazardous to the aquatic environment (Acute 1 or Chronic 1) and Hazardous to ozone layer Cat. 1.*

**EN 13430 Requirements for packaging recoverable by material recycling**

If not used, this product is suitable for material recovery as it is compatible with the known, relevant and industrially available paper recycling technologies in the EU.

**EN 13431 Requirements for packaging recoverable in the form of energy recovery, including specification of minimum inferior calorific value**

If not used, this product is suitable for energy recovery, as it is composed of much more than 50 % of organic content.

**ISO 18605 Energy recovery****EN 13432 Requirements for packaging recoverable through composting and biodegradation. Test scheme and evaluation criteria for the final acceptance of packaging**

Product(s) are certified for use of the 'OK Compost Industrial' and 'OK Compost Home' conformity marks. See the Chapter 'Circular economy'.

**ISO 18606 Organic recycling**

## REACH

We hereby warrant that the requirements of REACH Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals are fulfilled and only chemicals complying with the provisions laid down in the regulation are used in the manufacture of Metsä Tissue and Metsä Greaseproof Papers paper products. Metsä Tissue and Metsä Greaseproof Papers are downstream users of chemicals.

Metsä Tissue and Metsä Greaseproof Papers paper products comply with the relevant restrictions set forth in Annex XVII of REACH Regulation on restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles. Furthermore, substances subject to authorisation listed in Annex XIV are not used.

According to REACH Regulation chemical and article suppliers are required to inform downstream users regarding the presence of substances listed on the Candidate List of Substances of Very High Concern (SVHC) for Authorisation above the reporting limit. Based on information received from upstream suppliers Metsä Tissue and Metsä Greaseproof Papers paper products do not contain Substances of Very High Concern above the reporting limit of 0,1%.

**Metsä Tissue Corporation**

P.O.Box 25, FI-02020 Metsä, Finland

Revontulenpuisto 2, 02100 Espoo, Finland

Business ID FI18678311

Tel. +358 10 4611

[www.metsagroup.com/metsatissue/](http://www.metsagroup.com/metsatissue/)

To: Messerle, Mäder

## DISCLAIMER

---

The information provided in this statement applies only for the tissue products, greaseproof products and traded goods as delivered by Metsä Tissue and Metsä Greaseproof papers and may not substitute necessary end use testing. Metsä Tissue and Metsä Greaseproof papers shall not be liable for any damage or injury resulting from misuse or uninstructed use of its products. This statement shall not be regarded as a warranty of fitness for particular purpose or end use. The end users shall have responsibility for verifying the suitability of the product for a particular application or end use.

The information given in this statement has been verified by Metsä Tissue and/or Metsä greaseproof Papers at the date of its publication and we shall not be liable for any future changes in information, contents, processes, regulatory or legal requirements included in this statement. This statement is valid maximum one year unless a more recently dated version is available.

The recipient of this statement acknowledges that the copyrights, patents, trade secrets, rights of ownership and/or use in respect of the information given in this statement belong to Metsä Tissue and Metsä Greaseproof Papers. Any copying, distribution, sending, transmission or publication of information provided in this statement is prohibited unless Metsä Tissue's or Metsä Greaseproof Papers' prior written consent has been given.

## METSÄ TISSUE/ METSÄ GREASEPROOF PAPERS

For any queries or questions regarding the statements presented herein, please contact:  
[sustainability.metsatissue@metsagroup.com](mailto:sustainability.metsatissue@metsagroup.com)

**Metsä Tissue Corporation**

P.O.Box 25, FI-02020 Metsä, Finland

Revontulenpuisto 2, 02100 Espoo, Finland

Tel. +358 10 4611

Business ID FI18678311

[www.metsagroup.com/metsatissue/](http://www.metsagroup.com/metsatissue/)